


Test Bank

Maternity and Women's Health Care, 11th Edition



Chapter 01: 21st Century Maternity and Women's Health Nursing

Lowdermilk: Maternity & Women's Health Care, 11th Edition

MULTIPLE CHOICE

1. In evaluating the level of a pregnant woman's risk of having a low-birth-weight (LBW) infant, which factor is the most important for the nurse to consider?
 - a. African-American race
 - b. Cigarette smoking
 - c. Poor nutritional status
 - d. Limited maternal education

CORRECT ANSWER:

A

For African-American births, the incidence of LBW infants is twice that of Caucasian births. Race is a nonmodifiable risk factor. Cigarette smoking is an important factor in potential infant mortality rates, but it is not the most important. Additionally, smoking is a modifiable risk factor. Poor nutrition is an important factor in potential infant mortality rates, but it is not the most important. Additionally, nutritional status is a modifiable risk factor. Maternal education is an important factor in potential infant mortality rates, but it is not the most important. Additionally, maternal education is a modifiable risk factor.

DIF: Cognitive Level: Understand

REF: p. 6

TOP: Nursing Process: Assessment

MSC: Client Needs: Health Promotion and Maintenance, Antepartum Care

2. What is the primary role of practicing nurses in the research process?
 - a. Designing research studies
 - b. Collecting data for other researchers
 - c. Identifying researchable problems
 - d. Seeking funding to support research studies

CORRECT ANSWER:

C

When problems are identified, research can be properly conducted. Research of health care issues leads to evidence-based practice guidelines. Designing research studies is only one factor of the research process. Data collection is another factor of research. Financial support is necessary to conduct research, but it is not the primary role of the nurse in the research process.

DIF: Cognitive Level: Understand

REF: p. 14

TOP: Nursing Process: N/A

MSC: Client Needs: Safe and Effective Care Environment

3. A 23-year-old African-American woman is pregnant with her first child. Based on the statistics for infant mortality, which plan is most important for the nurse to implement?
 - a. Perform a nutrition assessment.
 - b. Refer the woman to a social worker.
 - c. Advise the woman to see an obstetrician, not a midwife.
 - d. Explain to the woman the importance of keeping her prenatal care appointments.

CORRECT ANSWER:

D

Consistent prenatal care is the best method of preventing or controlling risk factors associated with infant mortality. Nutritional status is an important modifiable risk factor, but it is not the most important action a nurse should take in this situation. The client may need assistance from a social worker at some time during her pregnancy, but a referral to a social worker is not the most important aspect the nurse should address at this time. If the woman has identifiable high-risk problems, then her health care may need to be provided by a physician. However, it cannot be assumed that all African-American women have high-risk issues. In addition, advising the woman to see an obstetrician is not the most important aspect on which the nurse should focus at this time, and it is not appropriate for a nurse to advise or manage the type of care a client is to receive.

DIF: Cognitive Level: Understand

REF: p. 6

TOP: Nursing Process: Planning

MSC: Client Needs: Health Promotion and Maintenance

4. During a prenatal intake interview, the nurse is in the process of obtaining an initial assessment of a 21-year-old Hispanic client with limited English proficiency. Which action is the most important for the nurse to perform?
- Use maternity jargon to enable the client to become familiar with these terms.
 - Speak quickly and efficiently to expedite the visit.
 - Provide the client with handouts.
 - Assess whether the client understands the discussion.

CORRECT ANSWER: D

Nurses contribute to health literacy by using simple, common words, avoiding jargon, and evaluating whether the client understands the discussion. Speaking slowly and clearly and focusing on what is important will increase understanding. Most client education materials are written at a level too high for the average adult and may not be useful for a client with limited English proficiency.

DIF: Cognitive Level: Apply

REF: p. 5

TOP: Nursing Process: Evaluation

MSC: Client Needs: Health Promotion and Maintenance

5. The nurses working at a newly established birthing center have begun to compare their performance in providing maternal-newborn care against clinical standards. This comparison process is most commonly known as what?
- Best practices network
 - Clinical benchmarking
 - Outcomes-oriented practice
 - Evidence-based practice

CORRECT ANSWER: C

Outcomes-oriented practice measures the effectiveness of the interventions and quality of care against benchmarks or standards. The term *best practice* refers to a program or service that has been recognized for its excellence. Clinical benchmarking is a process used to compare one's own performance against the performance of the best in an area of service. The term *evidence-based practice* refers to the provision of care based on evidence gained through research and clinical trials.

DIF: Cognitive Level: Understand

REF: p. 11

TOP: Nursing Process: Evaluation

MSC: Client Needs: Safe and Effective Care Environment

6. Which statement best exemplifies contemporary maternity nursing?
- Use of midwives for all vaginal deliveries
 - Family-centered care
 - Free-standing birth clinics
 - Physician-driven care

CORRECT ANSWER: B

Contemporary maternity nursing focuses on the family's needs and desires. Fathers, partners, grandparents, and siblings may be present for the birth and participate in activities such as cutting the baby's umbilical cord. Both midwives and physicians perform vaginal deliveries. Free-standing clinics are an example of alternative birth options. Contemporary maternity nursing is driven by the relationship between nurses and their clients.

DIF: Cognitive Level: Understand REF: pp. 8-9 TOP: Nursing Process: Planning
MSC: Client Needs: Health Promotion and Maintenance

7. A 38-year-old Hispanic woman vaginally delivered a 9-pound, 6-ounce baby girl after being in labor for 43 hours. The baby died 3 days later from sepsis. On what grounds could the woman have a legitimate legal case for negligence?
- Inexperienced maternity nurse was assigned to care for the client.
 - Client was past her due date by 3 days.
 - Standard of care was not met.
 - Client refused electronic fetal monitoring.

CORRECT ANSWER: C

Not meeting the standard of care is a legitimate factor for a case of negligence. An inexperienced maternity nurse would need to display competency before being assigned to care for clients on his or her own. This client may have been past her due date; however, a term pregnancy often goes beyond 40 weeks of gestation. Although fetal monitoring is the standard of care, the client has the right to refuse treatment. This refusal is not a case for negligence, but informed consent should be properly obtained, and the client should have signed an *against medical advice* form when refusing any treatment that is within the standard of care.

DIF: Cognitive Level: Analyze REF: p. 13
TOP: Nursing Process: Implementation
MSC: Client Needs: Safe and Effective Care Environment

8. When the nurse is unsure how to perform a client care procedure that is high risk and low volume, his or her best action in this situation would be what?
- Ask another nurse.
 - Discuss the procedure with the client's physician.
 - Look up the procedure in a nursing textbook.
 - Consult the agency procedure manual, and follow the guidelines for the procedure.

CORRECT ANSWER: D

Following the agency's policies and procedures manual is always best when seeking information on correct client procedures. These policies should reflect the current standards of care and the individual state's guidelines. Each nurse is responsible for his or her own practice. Relying on another nurse may not always be a safe practice. Each nurse is obligated to follow the standards of care for safe client care delivery. PhysiC**CORRECT ANSWER** are responsible for their own client care activity. Nurses may follow safe orders from physiC**CORRECT ANSWER**, but they are also responsible for the activities that they, as nurses, are to carry out. Information provided in a nursing textbook is basic information for general knowledge. Furthermore, the information in a textbook may not reflect the current standard of care or the individual state or hospital policies.

DIF: Cognitive Level: Understand

REF: p. 13

TOP: Nursing Process: Implementation

MSC: Client Needs: Physiologic Integrity

9. The National Quality Forum has issued a list of –never events‖ specifically pertaining to maternal and child health. These include all of the following *except*:
- infant discharged to the wrong person.
 - kernicterus associated with the failure to identify and treat hyperbilirubinemia.
 - artificial insemination with the wrong donor sperm or egg.
 - foreign object retained after surgery.

CORRECT ANSWER: D

Although a foreign object retained after surgery is a never event, it does not specifically pertain to obstetric clients. A client undergoing any type of surgery may be at risk for this event. An infant discharged to the wrong person specifically pertains to postpartum care. Death or serious disability as a result of kernicterus pertains to newborn assessment and care. Artificial insemination affects families seeking care for infertility.

DIF: Cognitive Level: Remember

REF: p. 4

TOP: Nursing Process: Implementation

MSC: Client Needs: Safe and Effective Care Environment

10. A nurse caring for a pregnant client should be aware that the U.S. birth rate shows what trend?
- Births to unmarried women are more likely to have less favorable outcomes.
 - Birth rates for women 40 to 44 years of age are declining.
 - Cigarette smoking among pregnant women continues to increase.
 - Rates of pregnancy and abortion among teenagers are lower in the United States than in any other industrialized country.

CORRECT ANSWER: A

LBW infants and preterm births are more likely because of the large number of teenagers in the unmarried group. Birth rates for women in their early 40s continue to increase. Fewer pregnant women smoke. Teen pregnancy and abortion rates are higher in the United States than in any other industrial country.

DIF: Cognitive Level: Understand

REF: p. 6

TOP: Nursing Process: Assessment

MSC: Client Needs: Psychosocial Integrity

11. A recently graduated nurse is attempting to understand the reason for increasing health care spending in the United States. Which information gathered from her research best explains the rationale for these higher costs compared with other developed countries?

- a. Higher rate of obesity among pregnant women
- b. Limited access to technology
- c. Increased use of health care services along with lower prices
- d. Homogeneity of the population

CORRECT ANSWER: A

Health care is one of the fastest growing sectors of the U.S. economy. Currently, 17.4% of the gross domestic product is spent on health care. Higher spending in the United States, as compared with 12 other industrialized countries, is related to higher prices and readily accessible technology along with greater obesity rates among women. More than one third of women in the United States are obese. In the population in the United States, 16% are uninsured and have limited access to health care. Maternal morbidity and mortality are directly related to racial disparities.

DIF: Cognitive Level: Understand REF: p. 5 TOP: Nursing Process: N/A
MSC: Client Needs: Safe and Effective Care Environment

12. Which statement best describes maternity nursing care that is based on knowledge gained through research and clinical trials?
- a. Maternity nursing care is derived from the Nursing Intervention Classification.
 - b. Maternity nursing care is known as evidence-based practice.
 - c. Maternity nursing care is at odds with the Cochrane School of traditional nursing.
 - d. Maternity nursing care is an outgrowth of telemedicine.

CORRECT ANSWER: B

Evidence-based practice is based on knowledge gained from research and clinical trials. The Nursing Intervention Classification is a method of standardizing language and categorizing care. Dr. Cochrane systematically reviewed research trials and is part of the evidence-based practice movement. Telemedicine uses communication technologies to support health care.

DIF: Cognitive Level: Understand REF: pp. 10-11 TOP: Nursing Process: Diagnosis
MSC: Client Needs: Safe and Effective Care Environment

13. What is the minimum level of practice that a reasonably prudent nurse is expected to provide?
- a. Standard of care
 - b. Risk management
 - c. Sentinel event
 - d. Failure to rescue

CORRECT ANSWER: A

Guidelines for standards of care are published by various professional nursing organizations. Risk management identifies risks and establishes preventive practices, but it does not define the standard of care. Sentinel events are unexpected negative occurrences. They do not establish the standard of care. Failure to rescue is an evaluative process for nursing, but it does not define the standard of care.

DIF: Cognitive Level: Remember REF: p. 13
TOP: Nursing Process: Implementation
MSC: Client Needs: Safe and Effective Care Environment

14. Through the use of social media technology, nurses can link with other nurses who may share similar interests, insights about practice, and advocate for clients. Which factor is the most concerning pitfall for nurses using this technology?
- Violation of client privacy and confidentiality
 - Institutions and colleagues who may be cast in an unfavorable light
 - Unintended negative consequences for using social media
 - Lack of institutional policy governing online contact

CORRECT ANSWER: A

The most significant pitfall for nurses using this technology is the violation of client privacy and confidentiality. Furthermore, institutions and colleagues can be cast in an unfavorable light with negative consequences for those posting information. Nursing students have been expelled from school and nurses have been fired or reprimanded by their Board of Nursing for injudicious posts. The American Nurses Association has published six principles for social networking and the nurse. All institutions should have policies guiding the use of social media, and the nurse should be familiar with these guidelines.

DIF: Cognitive Level: Analyze

REF: p. 8

TOP: Nursing Process: Implementation

MSC: Client Needs: Safe and Effective Care Environment

15. During a prenatal intake interview, the client informs the nurse that she would prefer a midwife to provide both her care during pregnancy and deliver her infant. Which information is most appropriate for the nurse to share with this client?
- Midwifery care is only available to clients who are uninsured because their services are less expensive than an obstetrician.
 - She will receive fewer interventions during the birth process.
 - She should be aware that midwives are not certified.
 - Her delivery can take place only at home or in a birth center.

CORRECT ANSWER: B

This client will be able to participate actively in all decisions related to the birth process and is likely to receive fewer interventions during the birth process. Midwifery services are available to all low-risk pregnant women, regardless of the type of insurance they have. Midwifery care in all developed countries is strictly regulated by a governing body to ensure that core competencies are met. In the United States, this body is the American College of Nurse-Midwives (ACNM). Midwives can provide care and delivery at home, in freestanding birth centers, and in community and teaching hospitals.

DIF: Cognitive Level: Understand

REF: p. 8

TOP: Nursing Process: Planning

MSC: Client Needs: Safe and Effective Care Environment

16. While obtaining a detailed history from a woman who has recently immigrated from Somalia, the nurse realizes that the client has undergone female genital mutilation. What is the nurse's most appropriate response in this situation?
- This is a very abnormal practice and rarely seen in the United States.||
 - Are you aware of who performed this mutilation so that it can be reported to the authorities?||
 - We will be able to restore fully your circumcision after delivery.||
 - The extent of your circumcision will affect the potential for complications.||

CORRECT ANSWER: D

The extent of the circumcision is important. The client may experience pain, bleeding, scarring, or infection and may require surgery before childbirth. Although this practice is not prevalent in the United States, it is very common in many African and Middle Eastern countries for religious reasons. Mentioning that the practice is abnormal and rarely seen in the United States is culturally insensitive. The infibulation may have occurred during infancy or childhood; consequently, the client will have little to no recollection of the event. She would have considered this to be a normal milestone during her growth and development. The International Council of Nurses has spoken out against this procedure as harmful to a woman's health.

DIF: Cognitive Level: Analyze

REF: p. 9

TOP: Nursing Process: Assessment

MSC: Client Needs: Psychosocial Integrity

17. To ensure client safety, the practicing nurse must have knowledge of The Joint Commission's current –Do Not Use‖ list of abbreviations. Which term is acceptable for use regarding medication administration?
- q.o.d. or Q.O.D.
 - MSO₄ or MgSO₄
 - International Unit
 - Lack of a leading zero

CORRECT ANSWER: C

–I.U.‖ and –i.u.‖ are no longer acceptable because they could be misread as –I.V.‖ or the number –10.‖ –Q.O.D.‖ should be written out as –every other day.‖ The period after the –Q‖ could be mistaken for an –I‖ and the –o‖ could also be mistaken for an –i.‖ Confusing one medication for another is too easy. Medications are used for very different purposes and could place a client at risk for an adverse outcome. For example, these medications should be written as *morphine sulfate* and *magnesium sulfate*. The decimal point should never be missed before a number (e.g., 0.4 rather than .4). A leading zero is the preferred form.

DIF: Cognitive Level: Remember

REF: p. 13

TOP: Nursing Process: Implementation

MSC: Client Needs: Safe and Effective Care Environment

18. Maternity nurses can enhance communication among health care providers by using the SBAR technique. The acronym SBAR stands for what?
- Situation, background, assessment, recommendation
 - Situation, baseline, assessment, recommendation
 - Subjective, background, analysis, recommendation
 - Subjective, background, analysis, review

CORRECT ANSWER: A

SBAR is an easy-to-remember, useful, and concrete mechanism for communicating important information that requires a clinician's immediate attention. *Baseline* is not discussed as part of SBAR. *Subjective* and *analysis* are not specific to the SBAR acronym. *Subjective*, *analysis*, and *review* are not specific to the SBAR acronym.

DIF: Cognitive Level: Apply

REF: p. 14

TOP: Nursing Process: Implementation

MSC: Client Needs: Safe and Effective Care Environment

19. *Healthy People 2020* has established national health priorities that focus on a number of maternal-child health indicators. Nurses are assuming greater roles in assessing family health and are providing care across the perinatal continuum. Which of these priorities has made the most significant progress?
- Reduction of fetal deaths and use of prenatal care
 - LBW infants and preterm births
 - Elimination of health disparities based on race
 - Infant mortality and the prevention of birth defects

CORRECT ANSWER: A

Trends in maternal child health indicate that progress has been made in relation to reduced infant and fetal deaths and increased prenatal care. Notable gaps remain in the rates of LBW infants and preterm births. According to the March of Dimes, persistent disparities still exist between African-American and non-Hispanic Caucasian.

CORRECT ANSWER: A

ANSWER. Many of these negative outcomes are preventable through access to prenatal care and the use of preventive health practices.

These preventable negative outcomes demonstrate the need for comprehensive community-based care for all mothers, infants, and families.

DIF: Cognitive Level: Remember REF: pp. 3, 4

TOP: Nursing Process: Implementation

MSC: Client Needs: Safe and Effective Care Environment

MULTIPLE RESPONSE

1. Greater than one third of women in the United States are now obese (body mass index [BMI] of 30 or greater). Less than one quarter of women in Canada exhibit the same BMI. Obesity in the pregnant woman increases both maternal medical risk factors and negative outcomes for the infant. The nurse is about to perform an assessment on a client who is 28 weeks pregnant and has a BMI of 35. What are the most frequently reported complications for which the nurse must be alert while assessing this client? (*Select all that apply.*)
- Potential miscarriage
 - Diabetes
 - Fetal death in utero
 - Decreased fertility
 - Hypertension

CORRECT ANSWER: B, E

The two most frequently reported maternal medical risk factors associated with obesity are hypertension associated with pregnancy and diabetes. Decreased fertility, miscarriage, fetal death, and congenital anomalies are also associated with obesity. These clients often experience longer hospital stays and increased use of health services.

DIF: Cognitive Level: Apply

REF: p. 7

TOP: Nursing Process: Assessment

MSC: Client Needs: Physiologic Integrity

2. The Patient Protection and Affordable Care Act (ACA) was signed into law by President Obama in early 2010. The Act provides some immediate benefits, and other provisions will take place over the next several years. The practicing nurse should have a thorough understanding of how these changes will benefit his or her clients. Which outcomes are goals of the ACA? (*Select all that apply.*)
- a. Insurance affordability
 - b. Improve public health
 - c. Treatment of illness
 - d. Elimination of Medicare and Medicaid
 - e. Cost containment

CORRECT ANSWER: A, B, E

The ACA goals are to make insurance more affordable, contain costs, and strengthen Medicare and Medicaid. The Act contains provisions that promote the prevention of illness and improve access to public health. The ultimate goal of the Act is to improve the quality of care for all Americans while reducing waste, fraud, and abuse of the current system.

DIF: Cognitive Level: Comprehend REF: p. 5 TOP: Nursing Process: Planning
MSC: Client Needs: Safe and Effective Care Environment

3. Which statements indicate that the nurse is practicing appropriate family-centered care techniques? (*Select all that apply.*)
- a. The nurse commands the pregnant woman to do as she is told.
 - b. The nurse allows time for the partner to ask questions.
 - c. The nurse allows the mother and father to make choices when possible.
 - d. The nurse informs the family about what is going to happen.
 - e. The nurse tells the client's sister, who is a nurse, that she cannot be in the room during the delivery.

CORRECT ANSWER: B, C

Including the partner in the care process and allowing the couple to make choices are important elements of family-centered care. The nurse should never tell the client what to do. Family-centered care involves collaboration between the health care team and the client. Unless an institutional policy limits the number of attendants at a delivery, the client should be allowed to have whomever she wants present (except when the situation is an emergency and guests are asked to leave).

DIF: Cognitive Level: Analyze REF: pp. 8-9
TOP: Nursing Process: Implementation MSC: Client Needs: Psychosocial Integrity

4. Which methods help alleviate the problems associated with access to health care for the maternity client? (*Select all that apply.*)
- a. Provide transportation to prenatal visits.
 - b. Provide child care to enable a pregnant woman to keep prenatal visits.
 - c. Increase the number of providers that will care for Medicaid clients.
 - d. Provide low-cost or no-cost health care insurance.
 - e. Provide job training.

CORRECT ANSWER: A, B, C, D